
Grinding bench

Suitable for

Rear wall extraction and extraction from below for grinding tasks.



Description

Here you find a selection of standard grinding benches.

The dusts are extracted on the back and below. 90 % of the extracted particles are already extracted by the rear wall and can safely and easily be disposed of by means of the dust collecting tray.


We gladly advise you regarding the choice of filter units or fans.

Available as an option


- Side panels
- Lamella curtains folding type
- Partial roof with lighting
- Special dimensions on request
- Wooden bars (set of 10)


Standard equipment

- Rear wall extraction
- Flat iron support or wooden support
- Pre-separator
- Dust collecting tray
- 2 temporary covers for nozzles



Modular extraction wall for floor mounting 500 mm (Item no. 182350019)





Modular extraction wall for wall mounting 750 mm (Item no. 182375023)

Our Hotline
+49 25 41 84 84 1 300



Installation example: Two grinding tables (2000 mm) with a wet cyclone separator

Item no.	Type	Dimensions	Rear panel connection	Connection at the table	Required air volume
56400	Grinding bench	1000 x 1000 x 1650 mm	1x Ø 150 mm	1x Ø 200 mm	1650 - 3150 m³/h
56410	Grinding bench	1500 x 1000 x 1650 mm	1x Ø 150 mm	1x Ø 200 mm	1950 - 3150 m³/h
56420	Grinding bench	2000 x 1000 x 1650 mm	2x Ø 150 mm	1x Ø 200 mm	3450 - 4300 m³/h
56430	Grinding bench	2500 x 1000 x 1650 mm	2x Ø 150 mm	1x Ø 200 mm	3900 - 4300 m³/h

Item no.	Type	Dimensions	Connection	Required air volume
182350023	Extraction wall for wall mounting	500 x 200 x 1000 mm	1x Ø 150 mm	1000 - 1300 m³/h
182350019	Extraction wall for floor mounting	500 x 200 x 1000 mm	1x Ø 150 mm	1000 - 1300 m³/h
182375023	Extraction wall for wall mounting	750 x 200 x 1000 mm	1 x Ø 150 mm	1000 - 1300 m³/h
182375019	Extraction wall for floor mounting	750 x 200 x 1000 mm	1 x Ø 150 mm	1000 - 1300 m³/h

Technical Data / Available versions

Grinding bench

RGF

		Width			
		1000 mm	*1500 mm*	*2000 mm*	*2500 mm*
Grinding bench	*with rear panel*	56400	56410	56420	56430

Subject to changes and errors. Illustrations may contain optional equipment.


Die Luftreiniger
TEKA




TEKA
Die Luftreiniger

Our Hotline
+49 25 41 84 84 1 300

Accessories

		Welding bench	Grinding table		
	Clamp welding device	■		56130	RGF
	Pivotable side panels (2 pieces)		■	999200040	RGF
	Rib suspension, pivotable (2 pieces)		■	999200005	RGF
	Roof with lighting 1 m		■	999200016	RGF
	Roof with lighting 1,5 m		■	999200014	RGF
	Roof with lighting 2 m		■	999200012	RGF
	Roof with lighting 2,5 m		■	999200018	RGF
	Wooden bars for grinding benches (set of 10, fitting for 500 mm surface area)		■	819194	RGF

Subject to changes and errors. Illustrations may contain optional equipment.